


OUTDOOR LIGHTING






LWT0001BL • LWT0002BL




LWT0001BL




LWT0002BL



LWT0003BL • LWT0004BL




LWT0003BL




LWT0004BL



LWT0001W • LWT0002W




LWT0001W




LWT0002W







LWT0003W • LWT0004W







LWT0003W




LWT0004W

PP base with with PC diffuser							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  White  Black	
LWT0001BL	II	65	21	10w	750		•
LWT0001W	II	65	21	10w	750	•	
LWT0002BL	II	65	21	18w	1350		•
LWT0002W	II	65	21	18w	1350	•	

PP base with with PC diffuser							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  White  Black	
LWT0003BL	II	65	21	25w	1850		•
LWT0003W	II	65	21	25w	1850	•	
LWT0004BL	II	65	21	30w	2250		•
LWT0004W	II	65	21	30w	2250	•	




LS1891



LS1891




LS1893



LS1893




LWL014




LWL014



LWL015




LWL015



LS1701







LS1702










LS1701

LS1891 Stainless steel body								
LS1893 Die-cast aluminium body								
Code	Class	IP	QC	Lamp/s LED (Factory fitted) 4000K	Feature/s Light direction	Lumen 	Colour/s Stainless steel/black Dark grey	
LS1891	I	54	21	24w	2-way	1240	•	•
LS1893	I	54	21	18.5w	2-way	1360	•	•

LWL014 - LWL015 Die-cast aluminium body									
LS1701 Aluminium body									
Code	Class	IP	QC	Lamp/s LED (Factory fitted) 3000K 4000K	Feature/s Light direction	Lumen 	Colour/s White Dark grey		
LWL014	I	54	22	7w	2-way	412	•	•	•
LWL015	I	54	22	3w	1-way	168	•	•	•
LS1701	I	54	22	7w		357			•




Die cast aluminium body with PC diffuser							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Colour/s  Black  White	
LSL0001BL	I	65	21	12w	100	•	
LKJ0001WH	II	65	21	1.5w	130		•

Die cast aluminium body and acrylic lens						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 6000K	Lumen 	Colour/s  Matt black
LS0007BL	I	54	22	5w	220	•
LS0008BL	I	54	22	2 x 5w	450	•




LS0009BL



LS0009BL



LSL0003SST



LSL0003SST


LSL0003
LSL0004
K12



LSL0007SST




LS0010BL






LS0010BL






LSL0004SST



LSL0004SST

Die cast aluminium body and acrylic lens						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 6000K	Lumen 	Colour/s  Matt black
LS0009BL	I	54	22	5w	240	•
LS0010BL	I	54	22	2 x 5w	480	•

Stainless steel + opal PC						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Stainless steel
LSL0003SST	I	44	21	10w	370	•
LSL0004SST	I	44	21	10w	370	•



LSL0005SST


LSL0003
LSL0004
K 12




LSL0008



LSL0006SST




LSL0005SST



LSL0006SST




LSL202






LSL202







LSL248




LSL248

Stainless steel + opal PC						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Stainless steel
LSL0005SST	I	44	21	10w	370	•
LSL0006SST	I	44	21	10w	370	•

Die-cast aluminium body with frosted glass lens							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 3500K	Lumen 	Colour/s  Black  Off white	
LSL202	I	43	22	6w	380	•	•
LSL248	I	43	22	6w	380	•	•




LSL272







LSL272



LSL273



LSL273


Die-cast aluminium body with frosted glass lens							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 3500K	Lumen 	Colour/s  Black  Off white	
LSL272	I	43	22	6w	380	•	•
LSL273	I	43	22	6w	380	•	•



LSL0007SST



LSL0003 - LSL0004




LSL0007SST






LSL0008SST



LSL0005 - LSL0006




LSL0008SST

Stainless steel + opal PC						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Stainless steel
LSL0007SST	I	44	21	10w	370	•
LSL0008SST	I	44	21	10w	370	•




LS1701

LS1702




LS1702







LSL0002BL






LSL0001




LSL0002BL

Aluminium body							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Dark grey  White	
LS1702	I	54	22	7w	361	•	•


Die cast aluminium body with opal PC diffuser						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Colour/s  Black
LSL0002BL	I	44	21	12w	1000	•



LSL0010BL



LSL0009BL



LSL0010BL




LSL0009BL



Aluminium + PC						
Code	Class	IP	QC	Lamp/s LED (Factory fitted) 4000K	Lumen 	Colour/s Black
LSL0009BL	I	54	21	11.5w	535	•
LSL0010BL	I	54	21	30w	1600	•




LGL0002AL



LGL0002AL



LGL0003BL




LGL0003BL





LGL0002AL Plastic body and aluminium cover with plastic housing						
LGL0003BL Plastic body and stainless steel cover with PC housing						
Code	Class	IP	QC	Lamp/s LED (Factory fitted) 4000K	Lumen 	Colour/s Aluminium Black
LGL0002AL	II	65	21	1.8w	60	•
LGL0003BL	II	65	21	2w	30	•



LS543/3




LS543/3

Stainless Steel (316) body and aluminium sleeve with 4.8m cable and driver unit							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Feature/s  Light direction	Lumen 	Colour/s  Stainless steel
LS543/3	III	65	33	1.2w	3-way	13	•

* Driver must be housed in a watertight junction box




LSP0001BL • LSP0002BL






LSP0001BL • LSP0002BL



LSL751




LSL751

LSP0001BL • LSP0002BL Die-cast aluminium body, plastic spike with glass lens							
LSL751 Die-cast aluminium body, plastic spike with glass lens							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Colour/s  Black	
				3000K 3500K 5000K			
LSP0001BL	I	65	21		7w	500	•
LSP0002BL	I	65	21	7w		500	•
LSL751	I	65	22	5.7w		280	•




LS780



LS780




LS782






LS782







LS784




LS784

Aluminium body with tempered glass lens						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Colour/s  Aluminium/ Cool white LED
LS780	I	65	22	10w	654	•
LS782	I	65	22	50w	3674	•


Aluminium body with tempered glass lens							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Beam angle 	Colour/s  Aluminium
LS784	I	65	22	100w	7200	100°	•



LS724 • LS726




LS724




LS726









LS727 • LS728



LS727




LS728


Aluminium body with tempered glass lens									
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 6000K	Feature/s  Beam angle	Lumen 	Colour/s  Black  White  Dark grey		
LS724	I	65	22	10w	100°	800	•	•	
LS726	I	65	22	50w	100°	4000	•		
LS727	I	65	22	50w	100°	4000		•	•
LS728	I	65	22	30w	100°	2400	•	•	•




LS729 • LS730 • LS731









LS729



LS730




LS731


Aluminium body with tempered glass lens									
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 6000K	Features  Beam angle	Lumen 	Colour/s  Black  White  Dark grey		
LS729	I	65	22	10w	100°	800	•	•	•
LS730	I	65	22	30w	100°	2400	•	•	•
LS731	I	65	22	50w	100°	4000	•	•	•




LS732 • LS733 • LS734



LS732




LS733



LS734



LSL112+S




LSL112+S 20W

Aluminium body with tempered glass lens									
Code	Class	IP	QC	Lamp/s LED (Factory fitted) 6000K	Features Beam angle	Lumen 	Colour/s Black White Dark grey		
LS732	I	65	22	10w	100°	800	•	•	•
LS733	I	65	22	30w	100°	2400	•	•	•
LS734	I	65	22	50w	100°	4000	•	•	•

Aluminium body with tempered glass lens, adjustable steel tripod and cable with plug								
Code	Class	IP	QC	Lamp/s LED (Factory fitted)	Features Switch Beam angle	Lumen 	Colour/s Black/yellow	
LSL112+S	I	65	22	1 x 20w	• 100°	1449	•	




LSL114+S








LSL114+S 20W






LHB008/A




LHB008/A

Aluminium body with tempered glass lens, adjustable steel tripod and cable with plug							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Features  Switch  Beam angle	Lumen 	Colour/s  Black/yellow
LSL114+S	I	65	22	2 x 20w	• 100°	2898	•

Aluminium body								
Code	Class	IP	QC	CRI	PF	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Black
LHB008/A	I	65	22	>80	>0.95	200w	22 000	•




W01A



W01A




W02A



W02A




W01E



W01E




W02E



W02E




W01G



W01G



W02G




W02G

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	White
W01A	I	54	22	E27	60w	•	•
W01E	I	54	22	E27	60w	•	•
W01G	I	54	22	E27	60w	•	•

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	White
W02A	I	54	22	E27	100w	•	•
W02E	I	54	22	E27	100w	•	•
W02G	I	54	22	E27	100w	•	•




WO20A



WO20A




WO21A



WO21A




WO20G



WO20G



WO21G




WO21G

Die-cast aluminium body with PC diffuser							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base ESL	Max	Black	White
WO20A	I	54	22	E27	1 x 60w	•	•
WO20G	I	54	22	E27	1 x 60w	•	•

Die-cast aluminium body with PC diffuser							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base ESL	Max	Black	
WO21A	I	54	22	E27	1 x 60w	•	
WO21G	I	54	22	E27	1 x 60w	•	




WTT01



WTT01




WT0001W



WT0001W




WO3E



WO3E



WT0002BL




WT0002BL

WTT01 Polycarbonate body and polycarbonate lens										
WO3E Die-cast aluminium body with glass lens										
Code	Class	IP	QC	Lamp/s			Colour/s			
				Base	Max	Black body/ Clear lens	White body/ Clear lens	Black	White	
WTT01	I	44	23	B22	60w	•	•			
WO3E	I	54	22	E27	60w			•	•	

Polycarbonate body and lens									
Code	Class	IP	QC	Lamp/s		Colour/s			
				Base	Max	White	Black		
WT0001W	I	55	24	E27	2 x 60w	•			
WT0002BL	I	55	24	E27	2 x 60w			•	




WT1A



WT1A




WT2A



WT2A




WT1E



WT1E




WT2E



WT2E




WT1G






WT1G






WT2G




WT2G

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base 	Max	 Black	 White
WT1A	I	54	22	E27	60w	•	•
WT1E	I	54	22	E27	60w	•	•
WT1G	I	54	22	E27	60w	•	•

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base 	Max	 Black	 White
WT2A	I	54	22	E27	100w	•	•
WT2E	I	54	22	E27	100w	•	•
WT2G	I	54	22	E27	100w	•	•




WT35



WT35



WT36




WT36

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	Matt white
WT35	I	54	22	E27	1 x 60w	•	•
WT36	I	54	22	E27	2 x 60w		•




WT6A



WT6A



WT6E




WT6E

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	White
WT6A	I	54	22	E27	60w	•	•
WT6E	I	54	22	E27	60w		•




WT13A



WT13A




WT13E



WT13E



WT13G




WT13G

Plastic body and lens								
Code	Class	IP	QC	Base Compact fluorescent	Lamp/s Max	Ballast included	Colour/s	
							Black	White
WT13A	I	54	34	G24	1 x 26w	•	•	•

Plastic body and lens								
Code	Class	IP	QC	Base Compact fluorescent	Lamp/s Max	Ballast included	Colour/s	
								White
							White	
WT13E	I	54	34	G24	1 x 26w	•	•	•
WT13G	I	54	34	G24	1 x 26w	•	•	•




WT42



WT42




WT44






WT44






LS840




LS840

Die-cast aluminium body with polycarbonate lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base  ESL	Max	 Black	 Silver grey
WT42	I	54	22	E27	2 x 26w	•	•
WT44	I	54	22	E27	2 x 26w	•	•

Die-cast aluminium body with polycarbonate lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base 	Max	 Black	 Silver
LS840	I	44	23	E27	40w	•	•




WQ07G



WQ07G




WQ07A



WQ07A




WQ08G



WQ08G




WQ08A



WQ08A




WQ09G



WQ09G



WQ09A




WQ09A

Die-cast aluminium body with glass lens								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Black	Silver grey	White
WQ07G	I	44	22	E27	1 x 60w	•	•	•
WQ08G	I	44	22	E27	1 x 100w	•	•	•
WQ09G	I	44	22	E27	2 x 100w	•	•	•

Die-cast aluminium body with glass lens								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Black	Silver grey	White
WQ07A	I	44	22	E27	1 x 60w	•	•	•
WQ08A	I	44	22	E27	1 x 100w	•	•	•
WQ09A	I	44	22	E27	2 x 100w	•	•	•




WT7E



WT7E




WT20



WT20




WT22



WT22



WT23




WT23

Die-cast aluminium body with plastic lens								
Code	Class	IP	QC	Base Compact fluorescent	Lamp/s Max	Ballast included	Colour/s	
							Black	White
WT7E	I	54	22	G23	2 x 9w	•	•	•

Plastic body and lens													
Code	Class	IP	QC	Base E27	230v Compact fluorescent 2D			Lamp/s Ballast included	230v Compact fluorescent			Colour/s	
					2 pin	4 pin			1 x 9w	2 x 9w	1 x 11w	Black	White
WT20	I	65	24		1 x 16w	1 x 16w	1 x 21w	Magnetic	1 x 9w	2 x 9w	1 x 11w	•	•
WT22	I	65	24	1 x 60w	1 x 16w	1 x 16w	1 x 21w	Electronic	1 x 9w	2 x 9w		•	•
WT23	I	65	24		1 x 16w	1 x 16w	1 x 21w	Electronic	1 x 9w	2 x 9w		•	•




WT23E



WT23E




WQ20



WQ20



WQ23




WQ23

Polycarbonate body and lens							
Code	Class	IP	QC	Lamp/s			Colour/s
				230v Compact fluorescent 2D 2 pin	230v CFL	Ballast included	White
WT23E	I	55	24	1 x 16w	2 x 9w	•	•



Plastic body and lens										
Code	Class	IP	QC	Lamp/s				Colour/s		
				230v Compact fluorescent 2D 2 pin	230v Compact fluorescent 2D 4 pin	Ballast included (electronic)	230v Compact fluorescent 2 pin	Ballast included (magnetic)	Black	White
WQ20	I	65	24				1 x 9w	2 x 9w	•	•
WQ23	I	65	24	1 x 16w	1 x 16w	•	1 x 9w	2 x 9w	•	•



WT16A




WT16A

Stainless steel body, die-cast aluminium base with frosted glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						 Stainless steel
WT16A	I	44	22	G9	25w	•




WT37A







WT37A



WT37G




WT37G

Die-cast aluminium body with PC lens								
Code	Class	IP	QC	Lamp/s		Colour/s		Coastal use
				Base	Max			
						Black	Grey	 Except high corrosion or acidic areas. 3 year warranty against corrosion.
WT37A	I	54	23	E27	2 x 20w	•	•	•
WT37G	I	54	23	E27	2 x 20w	•	•	•




LS378 / BEAM



LS378



LS379 / BEAM




LS379

Die-cast aluminium body with glass lens									
Code	Class	IP	QC	Lamp/s		Feature/s	Colour/s		
				Base	Max		Black	Silver grey	Satin chrome (indoor only)
LS378	I	54	22	GU10 PAR16	1 x 50w	1-way	•	•	•
LS379	I	54	22	GU10 PAR16	2 x 35w	2-way	•	•	•




LS386 / BEAM



LS386




LS387 / BEAM



LS387




LS388 / BEAM



LS388



LS389 / BEAM




LS389

LS386 - LS387 Aluminium body with glass lens								
LS388 - LS389 Stainless steel body with glass lens								
Code	Class	IP	QC	Lamp/s		Feature/s	Colour/s	
				Base	Max		Aluminium	Stainless steel
LS386	I	44	22	GU10 PAR16	1 x 35w	1-way	•	
LS387	I	44	22	GU10 PAR16	2 x 35w	2-way	•	
LS388	I	44	22	GU10 PAR16	1 x 35w	1-way		•
LS389	I	44	22	GU10 PAR16	2 x 35w	2-way		•




LS373 / BEAM-X



LS373




LS376 / BEAM-X



LS376




LS374 / BEAM-X



LS374




LS377 / BEAM-X



LS377



LS375 / BEAM-X




LS375

Aluminium body with frosted glass lens							
Code	Class	IP	QC	Lamp/s		Feature/s	Colour/s
				Base	Max		
LS373	I	54	23	GU10 PAR16	1 x 35w	1-way	Aluminium
LS374	I	54	23	GU10 PAR16	1 x 35w	1-way	Aluminium
LS375	I	54	23	GU10 PAR16	2 x 35w	2-way	Aluminium

Aluminium body with frosted glass lens							
Code	Class	IP	QC	Lamp/s		Feature/s	Colour/s
				Base	Max		
LS376	I	54	23	GU10 PAR16	1 x 35w	1-way	Aluminium
LS377	I	54	23	GU10 PAR16	2 x 35w	2-way	Aluminium




LS384 / BEAM



LS384




LS885



LS885




LS385 / BEAM



LS385



LS886




LS886

Die-cast aluminium body with glass lens									
Code	Class	IP	QC	Lamp/s		Feature/s	Colour/s		
				Base	Max		Black	Silver grey	Satin chrome (indoor only)
LS384	I	54	22	GU10 PAR16	1 x 50w	1-way	•	•	•
LS385	I	54	22	GU10 PAR16	2 x 35w	2-way	•	•	•

Stainless steel and plastic body with plastic lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
LS885	II	43	22	E27	60w	•	
LS886	II	43	22	E27	60w	•	




LS887



LS887



LS888




LS888









LS454

LS455 / PICKET




LS455

Stainless steel and plastic body with plastic lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
				 ESL		 Stainless steel
LS887	II	43	22	E27	60w	•
LS888	II	43	22	E27	60w	•

LS455 Die-cast aluminium body with polycarbonate lens								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max			
						Black	White	Silver
LS455	I	44	23	E27	60w	•	•	•



LS451 / SLATE



LS451


LS451 • LS452
K 99



LS450 • LS453



LS452 / SLATE




LS452

Stainless steel body with plastic lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS451	I	44	22	E27	15w	•
LS452	I	44	22	E27	15w	•



LS0014SST



LS0014SST


LS0014
LS0015
K 98



LS0016 • LS0017



LS0015SST




LS0015SST

Stainless steel + opal PC						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS0014SST	I	44	21	E27	40w	•
LS0015SST	I	44	21	E27	40w	•



LS460 / FAROL



LS460


LS460 - LS461
 K 105



LS462




LS461 / FAROL



LS461



LS871 / ALBA




LS871

Stainless steel body with clear glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS460	I	44	21	E27	60w	• Stainless steel
LS461	I	44	21	E27	60w	• Stainless steel

Stainless steel body with clear bubbled glass or opal plastic lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Stainless steel body Clear bubbled lens	Stainless steel body Opal lens
LS871	I	44	22	E27	60w	•	•




LS0001-SBK



LS0001-SBK




LS0002-SBK





LS0002-SBK





LS0003-SBK




LS0003-SBK

Metal and glass						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS0001-SBK	I	23	31		60w	•
LS0002-SBK	I	23	31		60w	•


Metal and glass						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS0003-SBK	I	23	31		2 x 40w	•



LS0004-SBK






LS0005-SBK



LS0006-SBK

Metal and glass						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS0004-SBK	I	23	31	E14	2 x 40w	• Sand black

Metal and glass						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS0005-SBK	I	23	31	E14	2 x 40w	• Sand black
LS0006-SBK	I	23	31	E14	2 x 40w	• Sand black




Die-cast aluminium body with opal plastic lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS600	I	44	22	E27	60w	•

LS284 Die-cast aluminium body with glass lens						
LS0013BL Steel body with opal glass diffuser						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS284	I	44	22	E27	100w	•
LS0013BL	I	44	21	E27	60w	•



LS202 / CORSIA



LS202

LS202 - LS204
K 87



LS210


LS202 - LS204
K 92



LS208




LS204 / CORSIA



LS204



LS230 / THAMES



LS230

LS230 - LS232
K 88



LS242


LS230 - LS232
K 109-110



LS234 - LS236
LS238



LS232 / THAMES



LS232

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	White
LS202	I	44	22	E27	100w	•	•
LS204	I	44	22	E27	100w	•	•

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	
LS230	I	44	22	E27	100w	•	
LS232	I	44	22	E27	100w	•	



LS271 / UP/DOWN

K 86




LS482

K 112



LS484



LS271 UP/DOWN

K 89



LS481

K 86




LS483

K 112



LS485



LS275 UP/DOWN

DMC Body and glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
						Black	Except high corrosion or acidic areas. 3 year warranty against corrosion.
LS271	II	44	23	E27	60w	•	•
LS275	II	44	23	E27	60w	•	•



LS486 / UP/DOWN

K 90



LS487

K 85




LS488

K 111




LS489



LS486 UP/DOWN




LS224



LS224



LS225




LS225

LS486 Polypropylene body and PC lens								
LS224 - LS225 Die-cast aluminium body with glass lens								
Code	Class	IP	QC	Lamp/s		Colour/s		Coastal use
				Base	Max	Black	White	
						Black	White	Except high corrosion or acidic areas. 3 year warranty against corrosion.
LS486	II	44	23	E27	60w	•		•
LS224	I	44	22	E27	60w	•	•	
LS225	I	44	22	E27	60w	•	•	



LS272 / DOLCE



LS272


LS272 • LS273
K 88



LS274



LS273 / DOLCE



LS273




LS280 / TAGUS

K 87



LS282



LS280


K 108



LS0012BL



LS0011BL




LS0011BL

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	White
LS272	I	44	22	E27	100w	•	•
LS273	I	44	22	E27	100w	•	

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Matt black	Black
LS280	I	44	22	E27	100w		•
LS0011BL	I	44	22	E27	60w	•	




LS214



LS214



LS216




LS216

Die-cast aluminium body with glass lens									
Code	Class	IP	QC	Lamp/s		Colour/s			
				Base	Max	Black	Green	Rust	White
LS214	I	44	22	E27	1 x 60w	•			•
LS216	I	44	22	E27	1 x 60w	•	•	•	•




LS218



LS218



LS220



LS220

Die-cast aluminium body with glass lens								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Black	White	
LS218	I	44	22	E27	1 x 100w	•		•
LS220	I	44	22	E27	2 x 60w	•		•




LS590 / LENNOX

K 100



LS591



LS590


K 91



LS792



LS790 / OSMO



LS790

LS590 Die-cast aluminium body with PC shade							
LS790 Die-cast aluminium body and glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	Dark grey body Opal diffuser
LS590	I	44	22	E27	18w		•
LS790	I	44	22	E27	60w	•	




LS911 / SANDY

K 84



LS910




LS911

Die-cast aluminium body with PC shade							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS911	I	54	23	E27	60w	Black	 Except high corrosion or accidic areas. 3 year warranty against corrosion.




LS852 / SPHERE



LS852




LS853 / SPHERE



LS853




LS856 / BASKET



LS856




LS857 / BASKET



LS857




LS854 / SPHERE



LS854




LS855 / SPHERE



LS855




LS858 / BASKET



LS858



LS859 / BASKET




LS859

LS852 • LS853 Electro-galvanised steel body with polycarbonate lens														
LS856 • LS857 Die-cast aluminium and electro-galvanised steel body with polycarbonate lens														
Code	Class	IP	QC	Lamp/s		Lamp/s			HID lamp/s			Colour/s		
				E27	230v E27 Mercury blended	Compact fluorescent	Ballast included	HPS	Mercury vapour	Gear included	Black	Green	White	
LS852	I	44	22	100w		2 x 9w	1 x 26w	2 x 26w	•	70w		•	•	•
LS853	I	44	22	100w		2 x 9w	1 x 26w	2 x 26w	•	70w	125w	•	•	•
LS856	I	44	22	100w		2 x 9w	1 x 26w	2 x 26w	•	70w	80w	•	•	•
LS857	I	44	22	150w	160w	2 x 9w	1 x 26w	2 x 26w	•	70w	125w	•	•	•

LS852 • LS853 Electro-galvanised steel body with polycarbonate lens														
LS858 • LS859 Die-cast aluminium and electro-galvanised steel body with polycarbonate lens														
Code	Class	IP	QC	Lamp/s		Lamp/s			HID lamp/s			Colour/s		
				E27	230v E27 Mercury blended	Compact fluorescent	Ballast included	HPS	Mercury vapour	Gear included	Black	Green	White	
LS854	I	44	22	100w		2 x 9w	1 x 26w	2 x 26w	•	70w	80w	•	•	•
LS855	I	44	22	100w		2 x 9w	1 x 26w	2 x 26w	•	70w	80w	•	•	•
LS858	I	44	22	100w		2 x 9w	1 x 26w	2 x 26w	•	70w	80w	•	•	•
LS859	I	44	22	150w	160w	2 x 9w	1 x 26w	2 x 26w	•	70w	125w	•	•	•




LS864E



LS864E




LS864A



LS864A




LS864EPB



LS864EPB



LS864P



LS864P

Polycarbonate body & accessories								
LS864E - LS864EPB Polycarbonate body and lens								
Code	Class	IP	QC	Lamp/s			Colour/s	Coastal use
				Base	Max			
				CFL	ESL		White sphere Black basket	Except high corrosion or acidic areas. 3 year warranty against corrosion.
LS864E	II	44	24		E27	60w	•	•
LS864EPB	II	44	24	E27		60w	•	•

Polycarbonate body & accessories			
LS864A Arm only for LS864E/EPB Econo			
LS864P Post only for LS864E/EPB Econo			
Code	QC	Colour/s	Coastal use
		Black	Except high corrosion or acidic areas. 3 year warranty against corrosion.
LS864A	24	•	•
LS864P	24	•	•




LS864 / SPHERE


LS860 / SPHERE

LS861 / SPHERE


LS865 / SPHERE




LS864



LS860




LS861



LS865




LS862 / BASKET



LS862



LS863 / BASKET



LS863

Polycarbonate gallery and lens. Pole sold separately

Code	Class	IP	QC	Lamp/s		Lamp/s		Colour/s	Accessories
				Base	Max	Compact fluorescent	Ballast included		
LS864	I	44	22	E27	60w			•	PS76 Pole K 116
LS860	I	44	22	E27	100w	1 x 26w	2 x 26w*	•	•
LS861	I	44	22	E27	100w	1 x 26w	2 x 26w	•	•
LS865	I	44	22	E27	150w	1 x 26w	2 x 26w	•	•


* LS860 - 2 x 26w compact fluorescent lamps only suitable for PS76 pole accessory

Die-cast aluminium body with polycarbonate lens. Pole sold separately

Code	Class	IP	QC	Lamp/s		Lamp/s			Ballast included	Colour/s			Accessories
				Base	Max	Compact fluorescent	Black	Green		White			
LS862	I	44	22	E27	100w	2 x 9w	1 x 26w	2 x 26w	•	•	•	•	•
LS863	I	44	22	E27	150w	2 x 9w	1 x 26w	2 x 26w	•	•	•	•	•




LS802 / LARGO



LS802

Polycarbonate body and lens								
Code	Class	IP	QC	Lamp/s		Colour/s		Coastal use
				Base	Max	Black	Green	
LS802	II	65	23	E27	60w	•	•	•



LS601 / TRIAD

LS601



LS910 / SANDY

LS910

LS601 Die-cast aluminium body with opal plastic lens							
LS910 Die-cast aluminium body and glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS601	I	22	12	E27	60w	•	•
LS910	I	54	23	E27	60w	•	•



LS488




LS486



LS487



LS489



LS488




LS482



LS271



LS484



LS482



LS483




LS275



LS481



LS485



LS483

Polypropylene body and PC lens						
Code	Class	IP	QC	Lamp/s		Coastal use
				Base	Max	
LS488	II	44	23	E27	60w	Black Except high corrosion or acidic areas. 3 year warranty against corrosion.

DMC Body and glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS482	II	44	23	E27	60w	Black Except high corrosion or acidic areas. 3 year warranty against corrosion.	
LS483	II	44	23	E27	60w	Black Except high corrosion or acidic areas. 3 year warranty against corrosion.	



LS210 / CORSIA

K 67




LS202

K 92



LS208




LS210



LS242 / THAMES

K 68




LS230 • LS232

K 109-110



LS234 • LS236
LS238



LS242




LS282

K 72



LS280




LS282




LS274 / DOLCE

K 71





LS272 • LS273



LS274

Die-cast aluminium body with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS210	I	44	22	E27	100w	•
LS282	I	44	22	E27	100w	•

Die-cast aluminium body with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS242	I	44	22	E27	100w	•
LS274	I	44	22	E27	100w	•



DMC Body and glass lens								
Code	Class	IP	QC	Lamp/s		Colour/s		Coastal use
				Base	Max	Black	White	
LS481	II	44	23	E27	60w	•	•	•

Polypropylene body and PC lens							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS487	II	44	23	E27	60w	•	•




LS792 / OSMO





LS790

K 75




LS792

Die-cast aluminium body and glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS792	I	44	22		60w	 Black



LS208 / CORSIA




LS210

K 87





LS202

K 67




LS208

Die-cast aluminium body with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS208	I	44	22		100w	 Black




LS831





LS831





LS832




LS832

Aluminium body with polycarbonate lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS831	I	54	23	 ESL	18w	 Aluminium

Aluminium body with frosted glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS832	I	54	23	 GU10 PAR16	35w	 Aluminium




LS833





LS833






LS828




LS828

Aluminium body with polycarbonate lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS833	I	54	23	 ESL  Aluminium	60w	•

Aluminium body with plastic lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS828	I	54	23	 E27  Aluminium	60w	•




LS829



LS829




LS0016SST



LS0016SST



LS0017SST



LS0017SST

LS0016
LS0017
K 58




LS0014 - LS0015

Aluminium body with plastic lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS829	I	54	23	E27	60w	Aluminium

Stainless steel + opal PC						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS0016SST	I	44	21	E27	60w	Stainless steel
LS0017SST	I	44	21	E27	60w	Stainless steel



LS453 / SLATE



LS453


LS450 • LS453
K 57



LS451 • LS452




LS450 / SLATE



LS450


Stainless steel body with plastic lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base ESL	Max	
LS453	I	44	22	E27	40w	•
LS450	I	44	22	E27	40w	•



LS591 / LENNOX



LS590




LS591

Die-cast aluminium body with PC shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base CFL	Max	
LS591	I	44	22	E27	18w	•




LS406



LS406



LS418



LS418

Die-cast aluminium body, aluminium pole with high impact acrylic lens

Code	Class	IP	QC	Lamp/s		HID lamp/s			Colour/s			
				Base	Max	E27	Gear included	Black	Grey	Green	White	
LS406	I	44	33	E27	100w	HPS	Mercury vapour	•	•	•	•	•

Die-cast aluminium body with glass lens


Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	Black
LS418	I	44	22	E27	60w	•




LS436



LS435



LS436



LS435


DMC							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS436	II	44	24	E27	60w	Black	Except high corrosion or acidic areas. 3 year warranty against corrosion.
LS435	II	44	24	E27	60w	Black	Except high corrosion or acidic areas. 3 year warranty against corrosion.



LS454 / PICKET




LS455



LS454

Die-cast aluminium body with polycarbonate lens							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS454	I	44	23	E27	60w	Black	Except high corrosion or acidic areas. 3 year warranty against corrosion.




LS462 / FAROL




K 59



LS460 • LS461



LS462



LS602 / TRIAD



K 65




LS600





K 84





LS601



LS602

Stainless steel body with clear glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS462	I	44	22		60w	 Stainless steel

Die-cast aluminium body with opal plastic lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS602	I	44	22		60w	 Black

LS286 • LS287




LS284




LS286 / RHINE



LS287 / RHINE



LS286



LS287

LS0012




LS0011BL



LS0012BL



LS794




LS0012BL



LS792



LS790




LS794

Die-cast aluminium body with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS286	I	44	22	E27	1 x 100w	•
LS287	I	44	22	E27	2 x 100w	•


LS0012BL Die cast aluminium body and glass lens						
LS794 Die-cast aluminium body and glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS0012BL	I	44	22	E27	2 x 60w	•
LS794	I	44	22	E27	3 x 60w	•




LS234 / THAMES



LS242



LS230 • LS232



LS234



LS238 / THAMES




LS242




LS230 • LS232




LS236 / THAMES





LS236



LS238

Die-cast aluminium body with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS234	I	44	22		100w	• Black

Die-cast aluminium body with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS238	I	44	22		2 x 100w	•
LS236	I	44	22		100w	•



LS489




LS486



LS487



LS488



LS489

Polypropylene body and PC lens							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS489	II	44	23	E27	60w	Black	Except high corrosion or acidic areas. 3 year warranty against corrosion.



LS271



LS482



LS485



LS275




LS481




LS483



LS484



LS484




LS485

DMC Body and glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS485	II	44	23	E27	60w	Black	Except high corrosion or acidic areas. 3 year warranty against corrosion.
LS484	II	44	23	E27	60w	Black	Except high corrosion or acidic areas. 3 year warranty against corrosion.



LS901


Excludes pole



LS901


Die-cast aluminium body, anodised aluminium heatshield with high impact acrylic lens. Pole sold separately

Code	LS901	
Class	I	
IP	55	
QC	32	
Lamp/s		
E27	1 x 100w	
230v Compact fluorescent	2 x 26w	
Ballast included	•	
HID lamp/s		
HPS E27	1 x 70w	
Metal halide E27	1 x 70w	
	1 x 100w	
	1 x 150w	
Mercury vapour E27	1 x 80w	
	1 x 125w	
Gear included	•	
Colour/s		
Black	•	
Green	•	
Grey	•	
White	•	
Accessories		
Pole K 116	PS76	



LS850

Excludes pole



LS850


Die-cast aluminium body, anodised aluminium heat shield (for clear and smokey lenses) with polycarbonate lens. Pole sold separately

Code	LS850	
Class	I	
IP	55	
QC	32	
Lamp/s		
E27	1 x 100w	
Lamp/s		
230v Compact fluorescent	2 x 26w	
Ballast included	•	
HID lamp/s		
HPS E27	1 x 70w	
Mercury vapour E27	1 x 80w	
	1 x 125w	
Gear included	•	
Colour/s		
Black body	•	
Green body	•	
White body	•	
Clear body	•	
Opal body	•	
Smokey lens	•	
Accessories		
Pole K 116	PS76	




LS900
Excludes pole

PS76




LS900


Die-cast aluminium body, anodised aluminium reflector with glass lens. Pole sold separately	
Code	LS900
Class	I
IP	55
QC	22
HID lamp/s	
HPS E27	1 x 70w
E40	1 x 100w
	1 x 150w
Mercury vapour E27	1 x 80w
	1 x 125w
Metal halide E27	1 x 100w
Metal halide 230v G12	1 x 70w
	1 x 150w
Gear included	•
Colour/s	•
Black	•
Accessories	
Pole	PS76




PS60 P planting




PS76 M surface mount



PS76 MS surface mount with stabilising step



PS76 P planting



PS76 PS planting with stabilising step

Pole lengths							
Code	Lengths (mm)						
	1000	1500	2000	2500	3000	3500	4000
PS60 P	•	•	•	•	•		
PS76 M		•	•	•	•	•	
PS76 MS				•	•	•	•
PS76 P			•	•	•	•	•
PS76 PS				•	•	•	•


PS76



Hot dipped galvanised steel mounting pole		
Code	PS60	PS76
Available options		
Stabilising step S		•
Planting base P	•	•
Surface base M		•
Feature		
Access door		•
Colour/s		
Black	•	•
Green	•	•
White	•	•
Accessories for pole mount options	LS864	LS222
	LSL100	LSL100
		LS850
		LS860-3
		LS865
		LS900-1




LS118



LS118



LS119




LS119

Die-cast aluminium body, anodised aluminium reflector with glass lens							
Code	Class	IP	QC	Base CFL	Lamp/s Max	Ballast included	Colour/s Black
LS118	I	55	22	G24	2 x 18w	•	•

Die-cast aluminium body, anodised aluminium reflector with glass lens							
Code	Class	IP	QC	Base CFL	Lamp/s Max	Ballast included	Colour/s Silver grey White
LS119	I	65	32	G24	2 x 26w	•	•




LS174



LS174




LS102



LS102



LS104




LS104

Die-cast aluminium and plastic body, anodised aluminium reflector with glass lens								
Code	Class	IP	QC	HID lamp/s			Gear	Colour/s
				Base	Max			
				HPS	Metal halide			
LS174	I	55	22	E40	E40	400w	•	Black

Die-cast aluminium and plastic body, anodised aluminium reflector with glass lens									
Code	Class	IP	QC	Lamp/s		Max	Feature	Colour/s	
				Base				Black	White
				Halogen Q1					
				78mm	118mm		Infra red movement sensor		
LS102	I	44	12		Rx7s	500w		•	
LS104	I	44	12	Rx7s		150w	•		•




LS176



LS176




LS177



LS177




LS178



LS178



LS108




LS108

DMC plastic body, anodised aluminium reflector with glass lens							
Code	Class	IP	QC	Lamp/s	Base	Max	Colour/s
					ESL		Black
LS176	II	65	33		E40	85w	•
LS177	II	65	33	E27		45w	•
LS178	II	65	33	E27		32w	•

Die-cast aluminium body, anodised aluminium reflector with glass lens							
Code	Class	IP	QC	Lamp/s	Base	Max	Colour/s
					Halogen QI 78mm		Black Silver grey White
LS108	I	65	22	Rx7s		1 x 150w	• • •




LS300



LS300



LS810




LS810

Plastic body and spike, aluminium reflector with 1900mm cable							
Code	Class	IP	QC	Base	Lamp/s Max	Ballast included	Colour/s
LS300	II	65	34	Fluorescent tube T5	G5 14w	Ballast included •	Black •

Die-cast aluminium body, plastic spike with glass lens						
Code	Class	IP	QC	Base	Lamp/s Max	Colour/s
LS810	I	44	22	E27	E27 60w	Black •




LS750



LS750




LS751



LS751



LS751P




LS751P

Die-cast aluminium body, plastic spike with glass lens										
Code	Class	IP	QC	Lamp/s			Transformer required	Colour/s		Accessories
				Base	Max			Black	Green	
				230v open dichroic	12v open dichroic					LSBOX2 Junction box K 132
LS750	III	54	22		GU5,3 MR16	50w	•	•		•
LS751	I	54	22	GU10 PAR16		50w		•	•	

Plastic body and spike with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
				230v open aluminium		Black
LS751P	II	54	24	GU10 PAR16	35w	•




LS333



LS333



LS506



LS506




LS511

Spike view




LS511



LS511



LS755 • LS756




LS755 • LS756

LS333 Fiber glass head, plastic spike with glass lens												
LS506 Die-cast aluminium body with glass lens												
Code	Class	IP	QC	Lamp/s		Lamp/s	Cable	Feature/s			Colour/s	
				Submerged	Not submerged			Transformer required	Submersible maximum	Tolerates chemicals	Black	Green
LS333	II	54	24		12v GU5,3 halogen MR16 dichroic	100w					•	
LS506	III	68	22	50w	20w		2 metre	1 metre	No		•	•

LS511 Plastic body and spike, anodised aluminium reflector with glass lens												
LS755 - LS756 Fiber glass head, 304 stainless steel bracket with glass lens												
Code	Class	IP	QC	Lamp/s		Lamp/s	Cable	Feature/s			Colour/s	
				12v GY6,35 halogen	12v MR16 50w - Submerged 20w - Not submerged			Transformer required	230v PAR16 50w	Submersible maximum	Tolerates chemicals	Black
LS511	III	68	24	50w			5 metre	1 metre	Yes		•	
LS755	III	68	22					1 metre			•	
LS756	I	55	22								•	




LS322



LS322




LS324



LS324




LS323



LS323



LS326




LS326

Plastic body and spike						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base PAR38	Max	
LS322	II	44	14	E27	1 x 80w	•
LS323	II	44	14	E27	2 x 80w	•

Plastic body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base PAR38	Max	
LS324	II	44	24	E27	1 x 80w	•
LS326	II	44	24	E27	2 x 80w	•




LS328




LS328




LS723



LS723



LSBOX2



LSBOX2

LS328 Plastic body								
LS723 Die-cast aluminium body with glass lens								
Code	Class	IP	QC	Base	Lamp/s	Max	Feature/s	Colour/s
				 230v open dichroic	 PAR38		 Infra red movement sensor	 Black
LS328	II	43	24		E27	2 x 80w	•	•
LS723	I	20	22	GU10 PAR16		50w		•


LSBOX2 Aluminium box	
Code	LSBOX2
QC	22
Accessories for spike lights	LS750
Colour/s	
 Black	•
 Green	•



LS520



LS521




LS520 • LS521




LS531



LS533



LS531




LS533

Die-cast aluminium body, stainless steel covering							
Code	IP	QC	Lamp/s			Transformer required	Colour/s
			Base		Max		
			230v open dichroic (Class I)	12v dichroic (Class III)			
LS520	65	23	GU10 PAR16	GU5,3 MR16	50w	•	•
LS521	65	23	GU10 PAR16	GU5,3 MR16	50w	•	•

Stainless steel body, anodised aluminium reflector, glass lens with plastic sleeve								
Code	Class	IP	QC	Lamp/s			Ballast included	Colour/s
				Base		Max		
			CFL	Halogen QI 118mm				
LS531	I	67	23		Rx7s	150w		
LS533	I	65	23	G24d1		13w	•	




LS574



LS574




LS535



LS535



LS536



LS536

Stainless steel body, anodised aluminium reflector, glass lens with plastic sleeve									
Code	Class	IP	QC	Base Metal halide	HID lamp/s Max	Gear included	Feature/s Tilt Beam angle	Colour/s Stainless steel	
LS574	I	54	23	Rx7s	150w	•	20° Wide	•	

Stainless steel ring, die-cast aluminium body, anodised aluminium reflector, glass lens with plastic sleeve									
Code	Class	IP	QC	Base Metal halide	HID lamp/s Max	Gear included	Feature/s Asymmetrical lighting	Colour/s Stainless steel	
LS535	I	65	33	Rx7s	70w	•	•	•	
LS536	I	65	33	Rx7s	150w	•	•	•	